



PUNZONES FERRY PARA PLEGADORA

TIPO COLLY


1411/90° - R1,4
1412/85° - R0,6




1715/90° - R1,4
1716/85° - R0,6




1515/90° - R1,4
1516/85° - R0,6




1401/90°
1402/85°




1420/85°




1806/85°




* 1703/80°



* 1758/80°




* 1705/80°




PUNZONES FERRY PARA PLEGADORA

TIPO COLLY


1418/24°




1526/24°




*** 1528/24°**




1696/50°




1697/50°




1705/50°



1419 Plano




*** 1706 Plano**



40.10.244

L=415 mm
L=835 mm




40.09

17

100 T/m

L=415 mm
L=835 mm




D	20	25	30	35	40	50	60	80	100
H	12	17	20	22	24	29	34	44	70


PUNZONES FERRY PARA PLEGADORA

TIPO COLLY


* 1517/90° - R1,4
1518/80° - R3










* 1544/85°



1422/85°




INTERMEDIARIOS-COLLY



MATRICES FERRY PARA PLEGADORA


TIPO COLLY

2447/90°




M01

2355/85°




1318


1319




10.02.258






20.10.626



1518/85°




20.10.627




MATRICES FERRY PARA PLEGADORA

TIPO COLLY


2414/85°




2413/90°




1519




1359/85°




1361/85°




1520




1320



1521




1707




MATRICES FERRY PARA PLEGADORA

TIPO COLLY


1415/85°




1417/85°



1814/80°



767/50°




768/50°




770/50°




769/50°



771/50°



1759/80°



2479/24° V6/8

